APTICLE 34

10

15

25

30

1

Claims

- An isolated polynucleotide comprising a nucleotide sequence selected from the group consisting of:
- a) a nucleotide sequence encoding the IGS3 polypeptide according to SEQ ID NO:
 2;
 - b) a nucleotide sequence encoding the polypeptide encoded by the DNA insert contained in the deposit no. CBS 102196 at the Centraalbureau voor Schimmelcultures at Baarn (The Netherlands), in particular a nucleotide sequence corresponding to the SEQ ID NO: 1;
 - c) a nucleotide sequence having at least 80 % (preferably at least 90%) sequence identity over its entire length to the nucleotide sequence of (a) or (b);
 - a nucleotide sequence which is complimentary to the nucleotide sequence of (a)
 or (b) or (c).
 - The polynucleotide of claim 1 wherein said polynucleotide comprises the nucleotide sequence contained in SEQ ID NO:1 encoding the IGS3 polypeptide of SEQ ID NO:2.
- 3. The polynucleotide of claim 1 wherein said polynucleotide comprises a nucleotide sequence that is at least 80% identical to that of SEQ ID NO:1 over its entire length.
 - 4. The polynucleotide of claim 3 which is the polynucleotide of SEQ ID NO:1.
 - 5. The polynucleotide of claim 1-4 which is DNA or RNA.
 - 6. A DNA or RNA molecule comprising an expression vector, wherein said expression vector is capable of producing an IGS3 polypeptide comprising an amino acid sequence, which has at least 80% identity with the polypeptide of SEQ ID NO:2 when said expression vector is present in a compatible host cell.
 - 7. A host cell comprising the expression vector of claim 6.
 - 8. A host cell according to claim 7 which is a yeast cell
- 35 9. A host cell according to claim 7 which is an animal cell

5

10

15

25

2

- IGS3 receptor membrane preparation derived from a cell according to claim 7-9.
- 11. A process for producing an IGS3 polypeptide comprising culturing a host of claim 7 under conditions sufficient for the production of said polypeptide and recovering the polypeptide from the culture.
- 12. A process for producing a cell which produces an IGS3 polypeptide thereof comprising transforming or transfecting a cell with the expression vector of claim 6 such that the cell, under appropriate culture conditions, is capable of producing an IGS3 polypeptide.
- 13. An IGS3 polypeptide comprising an amino acid sequence which is at least 80% identical to the amino acid sequence of SEQ ID NO:2 over its entire length.
- 14. The polypeptide of claim 13 which comprises the amino acid sequence of SEQ ID NO:2.
 - 15. An antibody immunospecific for the IGS3 polypeptide of SEQ ID NO:2 or a Variant thereof.
- 16. A method for the treatment of a subject suffering from a disease related to expression or activity of the IGS3 polypeptide receptor of claim 13, in need of enhanced activity or expression of the IGS3 polypeptide receptor of claim 13, comprising:
 - administering to the subject a therapeutically effective amount of an agonist to said receptor; and/or
 - (b) providing to the subject an isolated polynucleotide comprising a nucleotide sequence that has at least 80% identity to a nucleotide sequence encoding the IGS3 polypeptide of SEQ ID NO:2 over its entire length; or a nucleotide sequence complementary to said nucleotide sequence in a form so as to effect production of said receptor activity in vivo.
- 30 17. A method for the treatment of a subject suffering from a disease related to expression or activity of the IGS3 polypeptide receptor of claim 13, having need to inhibit activity or expression of the IGS3 polypeptide receptor of claim 13, comprising:
 - (a) administering to the subject a therapeutically effective amount of an antagonist to said receptor; and/or
- 35 (b) administering to the subject a polynucleotide that inhibits the expression of the nucleotide sequence encoding said receptor; and/or

3

- (c) administering to the subject a therapeutically effective amount of a polypeptide that competes with said receptor for its ligand.
- 18. A process for diagnosing a disease or a susceptibility to a disease in a subject related to expression or activity of the IGS3 polypeptide of claim 13 in a subject comprising:
 - (a) determining the presence or absence of a mutation in the nucleotide sequence encoding said IGS3 polypeptide in the genome of said subject; and/or
 - (b) analyzing for the presence or amount of the IGS3 polypeptide expression in a sample derived from said subject.

10

- 19. A method for identifying agonists to the IGS3 polypeptide of claim 13 comprising:
 - (a) contacting a cell which produces a IGS3 polypeptide with a test compound; and
 - (b) determining whether the test compound effects a signal generated by activation of the IGS3 polypeptide.

15

30

- 20. An agonist identified by the method of claim 19.
- 21. A method for identifying antagonists to the IGS3 polypeptide of claim 13 comprising:
 - (a) contacting a cell which produces a IGS3 polypeptide with an agonist; and
- 20 (b) determining whether the signal generated by said agonist is diminished in the presence of a candidate compound.
 - 22. An antagonist identified by the method of claim 21.
- 25 23. A recombinant host cell produced by a method of claim 12 or a membrane thereof expressing an IGS3 polypeptide.
 - 24. A method of creating a genetically modified non-human animal comprising the steps of:
 - a) ligating the coding portion of a polynucleotide consisting essentially of a nucleic acid sequence encoding a protein having the amino acid sequence SEQ ID NO:
 2 to a regulatory sequence which is capable of driving high level gene expression or expression in a cell type in which the gene is not normally expressed in said animal; or
- b) engineering the coding portion of a polynucleotide consisting essentially of a nucleic acid sequence encoding a protein having the amino acid sequence SEQ ID NO: 2 and reintroducing said sequence in the genome of said animal in such

EP0009116

4

a way that the endogenous gene alleles encoding a protein having the amino acid sequence SEQ ID NO: 2 are fully or partially inactivated.